MYSORE CANTE

BANGALORE, SATURDAY, JUNE 22, 1889.

Beparate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers,

Season Report for the Week ending 8th June 1889.

			· 1	•				2	F.	3	*						·	
	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.		Small-pox prevalent Cattle disease prevalent in a few Taluks. a few Taluks. Water and ieven fatal cases of pasturage procurable.					. °C			*				Do ,			
	Public Health.		Small-pox prevalent in a few Taluks. Seven fatal cases of	cholera occurred during the week in the City of Bangalore.	,			Generally good.		į.	,	,			D°			ż
Prospects of Season; tracts	in which the rain-fall has been insufficient; areas affect- ed by scarcity, number of people under relief, and state of food stocks.		Favorable.	, a			7	Good. Rain is want- Generally good.							Good. Rain is needed for wet crops in certain	parts.	·	
	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.		Ploughing going on. Standing crops in good condition. Paddy, sugar-cane, little	and paddy and sugar-cane were harvested, Out-turn 8 to 12 annas.				Standing erops in good condition. Reaping	or the pauty condition.				,		Standing crops in good condition. Green Good. Rain is needed and black gram, wild cingelly, great millet, for wet crops in certain	castor beans and sugar-cane were sown in parts.	parts, Faddy and sugar-cane Were narvesieu. Aut.turn Ato 8 annas. Ploughing going on	
	Market how supplied.	ĭ	Well.	·		7		D°		3					Do.		,	
indicate around	Price of food grains in seers per Rupee; and marked fluctuations in the prices of fool grains.		This Past week, week,	Rice $9\frac{1}{2}$ $9\frac{1}{2}$ Ragi 32 32 777 32 32	(Eleksine corocuma.) Horse- gram 19½ 19½.	r arietinum.)	•		Ragi 30 to 35 30 to 45. (Eleusine corocana.)	Horse- gram 16 to 25 16 to 25.	 	,			Rice 12 to 15 12 to 15.	±° ma.)	Horse-	
-	Corresponding week of last year.		O :: 51	ee : :	:00	: 4	: :	45	: ::	50		40	26	25 25	:;	85	: 5	
-	Corn	-	C	.: ; :			: :		~-	1	1 :	:	: -	- -	:	! !	2	
	Present week.	-	.; ; ;	: : : :			ე :::	:	: : 		<u>: :</u>	:	:09 . 1.	<u>:</u> :		 40 ::		
	Rain-fall at.—		Bangalore C. & M. Stn	Hoskote Dodballapur Nelamangala	Kankanhalli Magadi	Anekal	Devanhalli Channanatua		ngpet	: :	Chikballapur	Bagepalli	Malur	Srinivaspur Gudibanda	:	ti	Sira	
	1 5		ore							•					٠.			

		ttle pre- Taluk,	uth dis- prevail	dirion ingles	874
	Do	Murraîn among cattle pr valent in Hassan Taluk,	urrain, foot and mouth dis- ease among cattle prevail in a few Taluks.	ttle in good con Water and fodder a	000 DQQ
	Small-pox prevalent in Malvalli and cho- lera in Bunsur and Seringapatam.	Generally good.	Small-pox prevalent. Murrain, foot and mouth dis- ease among cattle prevail in a few Taluks.	Small-pox prevalent Cattle in Water a	Small-pox prevalent in parts of the Chital- droog Taluk.
	Generally good.	Favorable,	Fair.	Generally good fin	Do in l
	Standing crops in good condition. Ragi, pigeon pea, green and black gram and great millet were sown.	Standing crops generally good. Paddy, gi, cow gram, pigeon pea and castor beans ire soyn in.	Paddy was harvested in Channagiri and wn in the Taluks of Sorab, Sagar, Nagar d Kumsi.	Standing crops generally in good condition.	Standing crops in good condition. Segamum, great millet and castor beans were sown. Paddy, great millet, sugar-cane and tobaccowere harvested.
1	Do Sti	Do ragi, c	Do Paddy sown in the	Do Standi	Do Standing crop great millet a Paddy, great n were harvested.
9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	222 Rice 10 to 14 9 to 14. Ragi 25 to 40 25 to 40. (Eleusine corocana.) Horse. Cliscr arietimum.) (Ciscr arietimum.)	filee 12½ 3 17 Ragi 40 58 (Eleusine corocana.) 35 Horse 25 gram 21 92½ (Ciser arietinum.)	Rice 13 to 16½ 14 to 17. 50 Ragi 26 to 60 26 to 60 (Eleusine conocuna.) 7 Jola 51 to 48 28 to 48. 17 (Sorghum Vulgare.)	Rice 12 to 15 10 to 16. Ragi 20 to 45 30 to 40. (Fleusine corocana.) Horse. gram 12 to 18 14 to 17. (Ciser arrietimun.)	21 Rice 10 to 13 10 to 14. D Ragi 50 to 60 50 to 60. 25 Jola 32 to 46 32 to 46. 60 (Sorghum Vulgare.) 60
	agar 32½ amkote. 1 13 ankote	bad 6 13 d 1 28 yapatna 25 sipur 51	11 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 94 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ru 50
(Hullyar	Chamarajnaga Seringapatam Hunsur Yedatore Heggaddevanl Gundlupet Nanjangud T. Narsipur Malvalli Mandya Attikuppa	Hassan Manjarabad Arkalgud Belur Chapnarayapat Arsikere Hojé-Narsipur	s. Shimoga Channagiri Homali Shikaryur Sorab Sagar Nagar Tirthahalli		98. Chitaldrous Challakere Hiriyur Holalkere Davangere Molakahmuru Jagalur Hosdurga

NYSOPEGAZET Published by Anthority.

BANGALORE, SATURDAY, JUNE 29, 1889.

B Separate paging is given to this Part in order that it may be filed as a separate compilation.

Official Papers,

Season Report for the Week ending 15th June 1889.

	ure se.		alent Vater					٠,	(p . ;) 		Ē					4	a*
-	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.		evalent Cattle disease prevalent nd Ne-in a few Taluks. Water many of the comments of the comm	Curanto		•			٠				`					4
Ņ	parks as to		le dises ew Tal	ner. bro		٠			O D					,	ć	3	لو	and the same
	Ren of a		Catt	מתפ זהם			, ,	· 			~				,			FØ.
	Pablic Health.	už	7 a	Jamangala Taluk. One fatal case of	_ 5	N			Generally good.	rgi	-					A tew cases or cno- lera in the Kunigal	and in the Huliyur durga Taluks.	
Prospects of Season; tracts	in which the ran-ran has been insufficient; areas affect, ed by scarcity, number of people under relief, and state of food stocks.	200	rable raîn	٠					Good. Rain is want Generally good.	÷					y	Good.		
-		-	ition.	sted.	elds:		· · ·									Wild	sown.	and
	standing te harvests or other		d condi	Paddy and sugar-cane were harvested.	their ii	, ·			ti						•		_	ivats manuring
	ns, state of turn of th by insects ties.	ξ,	/in goo	ane wer	oughing		ř		good condition.				141			good condition.	sugar-cane were	iyats manurin
	lfural operations, s d probable out-turn done to crops by in natural calamities.		generally	sugar-	iyats pl				n good	٠						in go	d sug	
,	ogress of agricultural operations, state of standin ls, prospects and probable out-turn of the harves serious damage done to crops by insects or other natural calamities.		crops	ldy and	air., Ra			,	g crops	c	×			,		crops	astor bear et and	to 8 anny
	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, scrious demage done to crops by insects or other natural calamities.	,	Standing crops generally in good condition. Favor	own. Pac	Out-turn fair., Raiyats ploughing their fields:		. "1		Standing crops in			el .				Standing crops in	gingelly, castor beans, green and black great millet and sugar-cane were	raddy and sugar-cane
	darket how supplied.		Well.		`				D°		1			· <u>`</u>	,	Do	<u> </u>	T
Demonie rechons	per ons in			week.	9½.	· · · · · · · · · · · · · · · · · · ·	19 <u>₹</u> .		to 12.	.o. 35.						ان اکر	to 50.	to 24.
aroons	Price of food grains in seers 'per appee; and marked fluctuations the mices of food grains.				4.5	\sim	_		to 14 11 t	_			*		,	6	1000	
ā	food grain id marke		This	week.	0 00 164	se coroc	$19\frac{1}{2}$			9	*			•		19 40 15		20 to 24
	Price of food gridins in seers 'per Rupee; and marked fluctuations in the mrices of food gradus.		-		Rice Rogi	Eleusine corocana.	Horse- gram $19\frac{1}{2}$ (Ciser arietinum.	-	Rice 11	Ragi 30 (Eleusin	,	,		-			Ragi 4	Horse-
-,			: Ü	:	: :	::	26 gg 24 gg 24 g		<u>`e</u>	R	:	30	; ·]	09	55	10		ш 8
	Correspond- ing week of	last y	+ :	:	: ;	: :	:::	: :	:		i	: :	:	: ;	`i :		::	<u> </u>
	Present week.		C. 76	12	70 20 20	233	73 50	- ;	6	25.	:	: :	:	85	;		30 20 4	1 10 H
	Pre		ų.	~ ~ ~	11	٠:	:	- ca -	H`	: : :	!	: -	:	: :		: '	→ : ·	-/: ·
	1		, & M.	T.k	: :	: :		: :	:	•	:	; ;	;	: :	•	•		inhar.
`	Rain-fall at-	i	e Bangalore C. & M	Stn.	Hoskote Dodballapur	Nela:nangala Kankanhalli	Magadi Closepet	Anekal Devanhalli	Chaunapatna r. ,	Bowringpet	Mulbagal	Sidlaghatta Chikballanur	Bagepalli	Gornbidnur Malur	Srinivaspur	annsona.	Tumkur Maddagiri	Culknayakan Siya Gua
			Ba		ĦÃ	Z	<u>≅ō</u> -	Į Č i	5 <u> </u>	1 M C	<u> </u>		മ്റ	5 Z	Ø €	5 E	- B.C	<u> </u>

ndition. supply	cattle Taluk.	ot and cattle uks.	condition Taluk. ler pro-	S.46
Cattle in good ecample.	Murrain among prevalent in Hassan	Murrain, throat, foot and mouth diseases among cattle prevalent in some Taluks.	ont Cattle in good corexcept in the Koppa Water and fodder	in parts of the Chi-prevalent in the Jagalur Tataldroog and Mola-luk, Fodder sufficient. kalmuru Taluks.
Cholera prevalent in parts of the Dis- tnict.	Generally good.	Small-pox prevalent in four Taluks.	Small-pox prevalent in Koppa Taluk.	Small-pox prevalent in parts of the Chi- taldroog and Mola-I kalmuru Taluks.
Generally good.	Favorable.	Å.	Generally good.	O V
Standing crops generally in good condition except in part of Yedatore Taluk, where they are withering. Paddy was sown. Cotton was picked.	Standing crops thriving well, Grops that were sown lately in Holé-Narsipur Taluk withering for want of rain. Paddy transplanted in Manjarabad and Arkalgud Taluks.	Standing crops, viz., paddy and sugar-cane in good condition, Paddy, wild gingelly and black and green gram were sown.	Standing crops generally in good condition. ild gingelly, fenugreek, green and blæck am were sown.	Standing crops in good condition. Sesamum, great millet, black and green gram and castor beans were sown. Paddy, sugar-cane, great millet, tobacco and italian millet were harvested in parts.
Do Standing except in parare witherin picked.	Do Standing of sown lately for want Manjarabac	Do Standing crops, in good condition,	Ample. Standing crop Wild gingelly, gram were sown.	Well. Standing crops i great millet, black beans were sown. millet, tobacco harvested in parts.
Rice 10 to 13 10 to 14. Ragi 25 to 40 25 to 40. (Eleusine corocana.) Horse- gram 20 to 34 20 to 28. (Giser arietimum.)	Rice 13 Ragi 38 (Eleusine corocana.)	num.) 18 13 to 16½ 56 26 to 60. occana.) 40 31 to 48.	to 15.	Rice 11 to 14 10 to 13. Ragi 50 to 60 50 to 60. (Eleusine corocana.) Jola 32 to 46 32 to 46. (Sorghum Vulgare.)
	90 : : : : :	115 72 82 93 70 70 88		80 .:: 23 174
11 [[:"::]		; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	A	:::::::::
15	12231 1 221 1 221 1 221 1 221 1 2 2 2 2	91 40 40 34 34		57
		ei : : : : : : : : : : : : : : : : : : :	H :::H :	
Turuvekere Huliyar Mysore Chamarajnagar Seringapatam Hunsur Yedatore Reggaddevanko Gundlupet	Naujaugud T. Narsipur Malvalli Mandya Attikuppa Nagamangala Hassan Manjarabad Arkalgud Belur	Channarayapatha. Arsikere Holé-Narsipur Shimoga Channagiri Honnali Sorab	halli agalur re re re	Chitaldroog Challakere Hiriyur Holalkere Davangere Molakalmuru Jagalur
ō O	# G	ත් වා		droog